



Extraordinary results from our highly regarded sweepers

The Bucher MaxPowa V series has established itself as our most reliable and dependable truck mounted sweeper. Our latest sweepers have been developed from over 60 years of evolution and continuous improvement to meet the requirements of our customers.

With tailored machines in your chosen field, Bucher Municipal offer a wide choice of products and options, which ensures maximum performance is always achieved.

The Bucher MaxPowa V series truck mounted road sweeper has been developed to provide longer on-station time with the lowest environmental impact, combined with ease of use and low operational costs.

The Bucher MaxPowa V series excels in each of these areas; high performance, high productivity, lower cost of ownership, environmental impact, safety and operator experience.




High **performance**

The Bucher MaxPowa V series is supplied with a choice of three hopper capacities and a range of power packs to tailor the sweeper to the operation. A wide range of options extends the functionality further to provide a truly versatile machine.

Maximising on-station time requires a balance of having enough water capacity to minimise refills, having enough hopper capacity to cope with large volumes of leaves or debris, having a payload great enough to meet the demands of a workday and being able to carry enough fuel to reduce nonproductive travel.

Over years of development, Bucher Municipal feel we have achieved a near perfect balance of the requirements to provide possibly the best





V50m / V65m / V80m PTO Drive

allowing significant cost savings.

V50t / V65t / V80t Auxiliary Engine

A twin engine sweeper provides the greatest

independent from the chassis and therefore

can offer the lowest fuel consumption on low

revs or best possible suction performance on

maximum revs. The auxiliary engine can be

fuelled by tax free diesel where permitted,

flexibility. The sweeping operations are totally

An engine PTO (power take off) can be used to drive all the sweeping functions. Due to the minimum PTO torque required, the Vm is limited to a selection of chassis brands.



5 m³, 6.5 m³ or 8 m³ hopper options.



V50h / V65h / V80h Hydrostatic Drive

The patented hydrostatic gearbox can work with large chassis engines up to 280 hp. In hydrostatic drive, the sweeper offers infinitely variable speed control and can transit up to 40 km/h. It can also be supplied with cruise control.



Smoothflow

The cowl provides a noise suppressing and weather proof enclosure for the powapack. The unique Smoothflow air system has been designed to maximise airflow providing over 40 % better suction performance over previous models.



175-190 litre fuel tank

The V50t / V65t / V80t auxiliary engine uses from only 4 litres per hour making it an excellent choice.



Up to 7000 kg payload

With an 18'000 kg GVW.

Up to 3600 mm

Up to 3600 mm swept brush width on simultaneous sweep (with an optional side slide brush increasing swept brush width to 4200 mm).

Up to 4000 litres

Standard water capacities from 1330 litres on the MaxPowa V50 to 2300 litres on the MaxPowa V80 Rear Suction (MaxPowa V65 - 1545 I, MaxPowa V80 - 2300 l), with additional options varying from 700 to 1700 litres (depending on option compatibility).

High **productivity**

Productivity is driven by reliability and dependability through fewer breakdowns or service interventions. Combine this with great suction performance, quick engage options and an ease of onsite adjustments or consumable replacements and your time working increases.

The Bucher MaxPowa V series delivers great productivity with standard features and a wide range of options to match your operational needs.

650 mm or 500 mm channel brushes with an optional side slide brush arm for weed ripping or extended swept width.

The Bucher MaxPowa V series dual sweep can sweep both near side and offside kerbs and change from one to the other simply via a single button.

The Bucher MaxPowa V series has a JCB 55 kW industrial engine, designed for operating in dusty environments. Providing 400 Nm of Torque at 1250 rpm the Stage 5 engine is ideally suited for road sweeping operations whilst offering low fuel consumption (EU27 only).

A JCB 97 kW engine is available offering a max torque of 550 Nm at 1500 rpm for applications where higher suction is required; for example more arduous road construction operations (EU27 only). An Optional JCB 85 kW 3a engine is available outside of the EU offering a max torque of 440 Nm at 1300 rpm.

Data-capture is standard via the JVM providing data on service information and the sweeper. Data can be downloaded via a USB stick and uploaded onto a spreadsheet showing engine revs, fuel consumption, sweeping time and if fitted with a tachograph, distance travelled and distance swept.

Variabrush allows the operator to maintain a safe and consistent distance from the pavement, by adjusting the channel brush position to follow the kerb line; enhancing the functionality of the sweeper.



Pushed sweep gear

The pushed sweep gear which is pneumatically lifted, lowered and swung out, is mounted on the dirt pick-up unit. This allows sufficient overlapping with the suction nozzle, even on tight bends. The pushed-type channel brush ensures maximum cleaning power and provides the driver with a perfect view of the suction nozzle.




High-pressure washing system 100 bar @ 30 l/min

The nozzle bar on the wide sweep brush and suction nozzle provides perfect cleaning performance even under difficult conditions.



Remote mesh lift

The remote mesh lift allows the hopper meshes to be lowered and lifted into place remotely, without the need for the operator to stand under the rear door and therefore avoiding the dirty zone when tipping and cleaning.



Rear suction nozzles

Full width suction nozzles to the rear of the machine, in addition to mid-mounted nozzles for exceptional pick-up performance. Available with 22 V jets when selected in combination with the Powawash option, 120 l/min @ 160 bar (MaxPowa V80 only)



Water jet package for perfect fine dust suppression

The reduction of fine dust emissions was assessed in the top category in the fine dust test for municipal vehicles by EUnited.



Top mounted wanderhose

The top mounted wanderhose with 280 degree rotation, available in a 150 mm or 200 mm diameter with water injection, can be used to empty gullies down to 1570 mm safely from the kerb side.



500 hours between routine services on JCB engines.

Shortest wheelbases designed with major chassis manufacturers to imporve turning circles.

Lower Cost of Ownership

Capital cost is only part of the operational expenditure of the sweeper. Fuel consumption, maintenance costs and resale values can outweigh the initial purchase price offering better value in the longer term.

The MaxPowa V series has been designed to last, perform at lower revs and have more durable wearing parts.

The MaxPowa V series features a 4 mm thick 1.4003 stainless steel hopper and integrated water tank. A 2 mm thick mild steel cowl is standard with optional 1.4003 stainless steel upgrade. Stainless steel mesh screens are also available if required.

The powder painted process starts with shot blasting components prior to the application of zirconium based pre-treatment to create a clean and adhesive surface for a satin primer. The resulting powder coat layer creates a highly effective barrier against corrosion increasing durability of the sweepgear.

The rear door features robust reinforcements and increase the stability. The rear chute is made from stainless steel. Both in combination ensures a longer service life.

Corten inlet tubes and seats reduce wear even in the harshest of environments.

Bolted replaceable rubber seals and quick change brushes reduce downtime for consumable replacements.

As standard, the MaxPowa V series sweepers features a Pressadrain water purging system so that when freezing weather conditions are anticipated, water is easily and conveniently drained from the sweeper.

Water jets in the nozzle boxes are self-cleaning which extends the life of the components.





JVM scree

JVM system with 7" colour screen provides fault diagnosis and operational feedback for the sweeper including engine codes.

Systems locker

The electronic nodes, hydraulic adjustments and pneumatic systems are centralised in the systems locker complete with convenient LED strip light, making repairs and fault finding easier and faster.

Kick back feature

Trailing brush arms have a kickback function as standard protecting both the sweeper and street furniture.

Supawash Hose

The Supawash hose has a short lead with a connector attached to the 15 metre hose. This allows the full length hose to be replaced quickly in the event of damage.

Manual water taps

Heavy duty twin locking mechanism with minimal proximity switches, to ensure a tight seal and prevention of leakage.

Combi cooler radiator

Single triple stack cooling pack for improved cooling performance and ease of cleaning.

Heavy duty nozzle

Optional heavy duty nozzle box wheels and bumpers reduce damage and extend wheel life.

EasyClean

EasyClean option can connect to a hydrant to flush the inside of the hopper, cleaning the roof duct and behind the inlet tubes.

Low Environmental Impact

Road sweepers are the only vehicles on the road that reduce harmful emissions by trapping particulate matter collected from the road surface in the hopper. The Bucher MaxPowa V series does this with the lowest environmental impact Bucher Municipal can design.

Low noise

The sweepers of the Bucher MaxPowa V series are equipped with noise suppression hoods, encapsulating the auxiliary engine and fan casing and noise attenuation vanes are installed as standard in the air exhaust system. Noise at the driver's ear is less than 75 dB(A) at maximum revs (chassis dependant), creating a safer operating environment for both the driver and pedestrians. The engine can be set to lower revs for night sweeping which reduces the noise levels by 50 %.

High dust suppression

Debris is sucked in a direct route from the vacuum nozzle into the hopper, reducing wear and tear as well as maintenance. Once debris is in the hopper, the cyclonic airflow helps separate debris, and the clean air is released into the atmosphere.

Low fuel consumption

The twin engine sweeper uses less fuel at lower revs than the single engine sweepers in the majority of applications. The twin engine has three power pack options to allow the best balance of fuel consumption, cost and power to match the application.

Low water usage

The Bucher MaxPowa V series uses as standard yellow mist atomising jets to reduce water usage by 20 % or red nozzle jets, with higher flow are available for heavier applications. The optional Water Recirculation System can save up to 900 litres of water per day extending the on-station time and reducing the risk of dust going through the fan.

HVO compatible

All JCB auxiliary engines are HVO (Hydrotreated Vegetable Oil) compliant. HVO has the equivalent productive output as diesel but burns cleaner and with significantly lower damaging emissions up to 90 % less Carbon Dioxide (CO₂) and 30-70 % less NOX (nitrogen oxides). A non fossil fuel, HVO can be used 100 % or with any EN590 diesel mix without modification or change in servicing requirements.


CNG compatible

The hydrostatic drive can be installed on an suitable CNG sweeper packed chassis, offering the same compact wheelbase as the diesel version.



EUnited 4 star certified Smoothflow Air System

Re-designed airflow system to maximise air delivery and minimise losses, improving suction performance whilst reducing fuel consumption and noise.



12 | Bucher Municipal Bucher Municipal | 13

Safety

Safety is everyone's responsibility and Bucher Municipal has considered all areas of human interaction when designing the MaxPowa V series.

Automatic body prop

A highly visible, self-engaging body prop provides the operator and service personnel with a safe working environment. As it is disengaged from the radio controlled remote pendant, there is no need for anyone to work under an unsecured body.

Radio Controlled Pendant

The radio controlled remote pendant allows the operator to walk completely around the sweeper without having wires to contend with. The operator can adjust the wide sweep brush easily and can check the surroundings before opening the hopper or tipping.

Lighting

The Bucher MaxPowa V series can be supplied with a wide range of optional LED work + hazard lights to make sweeping safer and easier.

Improved direct vision

The Bucher MaxPowa V series now comes with an adjustable JVM screen. This allows the operator to adjust the JVM screen and control box to suit their driving position.

An updated door controller keypad with improved information and LED lights indicate which sweeping functions are on so the operator reduces the number of times they have to look away from the road.

The IVM screen of the Bucher MaxPowa V series provides information on the sweeper's performance and doubles up as the camera screen, reducing the requirement for additional screens in the cab.

Engine bay access

The engine bay access is via a wide folding ladder with three points of contact. Hand rails provide safer access and regress in the engine bay area. The hydraulic tank provides a wider platform for the operator to stand on whilst carrying out minor inspections and checks.



Sweepgear worklights

Optional double or triple sweepgear worklights illuminate the side of the sweeper and kerb



Rear worklights

Optional Rear mounted worklights offer an illuminated area behind the sweeper for reversing and working



Reversing lights

Optional rear mounted work/reversing lights can provide other site traffic with a highly visual reverse indicator which can be set to flash when reversing for added safety.



Beacons

Optional LED cab roof bar beacons



LED flashers

Optional 4 LED flashers mounted on the rear door



LED light board

Optional LED light board with programmable messaging



Offside camera

Offside road view, providing additional vision for potential blind spot.

Handwash*

An electric hand wash option with removable bowl can be fitted to provide heated water for washing.

Hi-vis brush plates

High visibility brush plates and hose sleeves makes it easier for the operator to see the brush position and alerts pedestrians, cyclists and other vehicles to the position of the brushes.

Radio controlled pendant

Wireless pendant for hopper opening and tipping and wide sweep brush adjustments.

High Tipping Angle Door

And sloping hopper floor for ease of discharge.

Water recirculation system

The water recirculation option allows water from the hopper to be re-used as well as using water from the clean water tank. This allows longer on station sweeping time, whilst improving dust suppression and reducing water

Body Prop

Highly visible self-engaging body prop.

Triple Work Light

Double or triple sweep gear work lights illuminate the side of the sweeper and kerb or the road planing kit.

Operator **Experience**

The Bucher MaxPowa V series has been cleverly thought through with the operator in mind. Ease of use, great suction performance, minimal effort required to set-up, clean and operate, often makes the Bucher MaxPowa V series the operators' first choice sweeper.

JVM display

Daily checks are carried out via the JVM and autoupdates for the life of the sweeper. The centre console can be adjusted to suit the operator's preferred position.

The JVM has a wide range of settings that can be tailored to suit the operational needs including optional Preference Plus for a range of additional settings to customise your sweepers functionality. Features available include a boost setting for Ecomode or pausing of the sweepgear when overloaded or on low fluid levels.

Door Controller

A heavy duty pause button allows the operator to lift all the sweep gear and put the engine in tick over until depressed again. This allows the operator to change from sweeping to transit in a quick and easy way, and easily back again to sweeping. The Bucher MaxPowa V series remembers the last sweeping settings used each time.


Side Door Lockers

The Bucher MaxPowa V series has two lockable large side lockers for storing equipment including wanderhose extensions and standpipes.

Cleaning

The Bucher MaxPowa V series features a sloping hopper floor; this allows leaves and debris to slide out of the hopper easily, reducing the amount of cleaning required. The MaxPowa V series also offers an optional EasyClean system which flushes the air duct and behind the inlet tubes.





Mesh retention hooks

The mesh screens are released and locked from the retaining clips via the door opening mechanism reducing the effort required to open and clean.

Door controller

The ergonomic door controller can be used for all the sweeping operations, brush position, pressure, speed, nozzle aperture, engine revs and water jets.

USB charging points

A centre console, featuring cup holders and USB charging points, can be adjusted to suit the operator's preferred position.



One connection **Many benefits**

Combining a digital platform with the complete after sales service, Bucher Connect has everything you need to operate your fleet at its best. It can be perfectly tailored to your needs through two different packages, as well as additional services and products.

Digital platform

Featuring two components, our «Fleet» module displays current machine positions, error messages with repair suggestions and important vehicle parameters, while «Service» takes care of all your repair and service needs.

This is supplemented by the two role-specific modules: «Jobs» and «Analytics». On a road map, route planning and road sweeps are marked in different colours for easy handling, with individual tracks via the address search.

«Fleet» for a detailed overview

- Current vehicle status and GPS position to give an overview of the fleet and detect potential breakdowns early
- Automatic fault alerts and digital support to enable quick resolution
- Service reminders for efficient workshop planning

«Jobs» for route planning and monitoring

 Digital cleaning report instead of manual operating logs and «On the route» KPIs for track

«Analytics» for fleet optimisation

- Optimise uptime for improved fleet productivity
- Optimise energy demand for improved sustainability and lower costs
- Easy reporting of vehicle data

«Service» for repair and service planning

- Access to the e-shop, workshop manuals and maintenance plans for optimal service
- One touch point for all your repair and service needs

Maintenance and repair

The maintenance and repair service enables you to focus on core business. Your maintenance partner carries out maintenance in accordance with factory specifications and uses trained service technicians, supporting you in procuring spare parts and providing remote support to reduce downtime.

Digital spare parts procurement

- Proactive service announcement
- Automatic service parts delivery to end-customers
- Time savings and prompt delivery for efficient workshop operation

Certified service

- Certified service and repair work for optimal fleet availability
- Comprehensive service and repair contract for predictable financial planning

Technical training

- Technical vehicle training
- Efficient vehicle use and higher first-time fix rate

Remote support and diagnostics

· Reduced downtime for optimal fleet use



Bucher Municipal



For local support, please scan QR code or visit

buchermunicipal.com

At Bucher Municipal, we innovate and engineer better cleaning and clearing solutions, helping our customers grow and maintain efficient and profitable businesses. Leveraging the over 200-year-old heritage of Bucher, we are committed to helping you achieve more using less. Taking pride in being seen as a reliable partner, we work locally with you in realising the possibilities for a smarter, cleaner and more efficient tomorrow. Today.



Your Bucher Municipal contract partner:











