


# Bucher Recycler<sup>®</sup> RM140

WSL



## Dimensions and weight (with chassis)<sup>1</sup>

Length	10,033 mm
Height	3,543 mm
Width	2,550 mm
GVW	32,000 kg
TARE weight	Approx. 20,560 kg

## Chassis<sup>2,3</sup>

Scania	P 420 B8x4NZ
Cab type	CP17L
Wheelbase	5,150 mm
Mudguards	Plastic
Cyclist protection	Alu. rails
Rear underrun protection	R58.03

Item no. superstructure	90000035-F101
Item no. chassis	10000240

## Dimensions and weight (without chassis)

Length (superstructure)	7,850 mm
Height (superstructure)	2,530 mm
Width (superstructure)	Max. 2,550 mm
Weight (superstructure)	10,200 kg

## Engine<sup>4</sup>

Type	DC13 176
Horse power	420 HP
Emission level	Euro 6
Fuel	Diesel

## Transmission

Power take-off	From engine and gearbox
Jetting/Vacuum pumps	Belt/Hydraulic driven

## Finish

Corrosion class	ISO 12944 C3 medium
Undercarriage and components	Grey (RAL 7016)
Tank	White (RAL 9016)
Custom tank colour <sup>5</sup>	Option
Cabinets, shelves, sign plates	Anodised
Slopped tray	Standard steel (S235)
Sign plates	3 pcs., painted in tank colour
Text and stripping	Invoiced separately

<sup>1</sup> Example with chassis listed in this data sheet.

<sup>2</sup> Chassis assigned to item no. 90000035-F101

<sup>3</sup> Other chassis (incl. electric) also possible.

<sup>4</sup> Dependent on chassis.

<sup>5</sup> According to standard paint sheet.

## The market's most powerful recycling system



### Control panels

Set up, operate and adjust all functions with the control panels.



### Automatic end cover

Upwards opening for easy tank inspection, maintenance & emptying.



### Continuous recycling system

Save resources while increasing productivity and sustainability.



### Cabinets and Shelves

Store your gear in the shelves and lockable cabinets.

# Bucher Recycler® RM140

## Tank

Gross volume	14.7 m <sup>3</sup>
Operating pressure	1 bar

A pneumatically moved partition divides the tank in two variable water/sludge volume compartments.

Max. water/sludge vol.	12.7 m <sup>3</sup> / 11.9 m <sup>3</sup>
Partition positions	3, lockable
Locking bolts	3 pairs, manual

Water indicator	Clear pipe, and screen
Sludge indicator	Mech. float, and screen
End cover	Hydraulic, fully automatic
Slopped tray	Yes
Water filling valve	2", free fall
Bottom emptying valve water tank	3"

## Jetting system

Pump	Uraca KD718
Capacity	392 l/min @ 145 bar
Jetting reel	Primary
Hose	150 m ¾", plastic
Rotation/Swivel	Hydraulic/Hydraulic
Jetting reel	Secondary
Hose	50 m ¾" + 60 m ½", plastic
Rotation/Swivel	Hydraulic/Hydraulic

## Vacuum system

Pump	CVS W 1600, load sensing hydr.
Capacity	1,600 m <sup>3</sup> /h (942 cfm)
Top suction valve	4", pneumatic
Bottom suction valve	6", manual
Cassette	Hydraulic
Hose	5", rubber
Arm	2 m telescope ext., 45° lift

## Water recycling system

Pump	Desmi S80-70-175
Filters	Two. Coarse and fine
Recycling	5-step, automatic, continuous

The system can be turned off so it can be used as a regular combination unit.

## Controls

Controller	CAN-BUS
Control panels	3 pcs.
Modem for remote access to control system for service/troubleshooting.	

## Storage

Cabinets, double	2 pcs.
Cabinets, single	1 pcs.
Shelves	5 pcs.

## Lights

Work lights	5 pcs., LED
Beacon lights	2 pcs., LED

## Frost protection

Air pressure draining and cleaning - incl. blow out air hose

## Equipment

- Vice
- Cover hook holder
- Protection guards on rear lights
- Handwashing station in cabinet

## Accessories

- Safety support for rear end cover
- Rubber mat in cabinets and tool boxes
- Coupling transitions 6" to 4" and 5" to 4"
- Blowout hose for draining jetting system
- 1.5 m 3" hose w/ couplings for cleaning filter unit, incl. transition 3" to 2"
- 5 m 4" suction hoses with couplings
- 5" suction pipe for cassette hose
- Cover hooks set
- Nozzle set ¾" recycled water
- Extra water filters for jetting pump

Contact us for more information.

## Bucher Municipal



For local contact and support, please scan the QR code or visit

[buchermunicipal.com](http://buchermunicipal.com)

**Driven by better**



Bucher  
Municipal  
E-Shop